Part No. N0027284 01 March 11, 2005

BCM

Nortel Networks IP Phone 2004 User Guide



NETWORKS

Getting started

The BCM Nortel Networks IP Phone 2004 brings voice and data to your desktop.


Introduction

This guide contains information about:

- telephone buttons and lights
- telephone display
- telephone setup
- how to make and answer calls
- how to use the navigation buttons
- how to program memory buttons
- how to offset the time on your telephone display

Figure 1 shows the IP Phone 2004.

Figure 1 The IP Phone 2004



IP Phone 2004 button and light descriptions

Figure 2 shows the IP Phone 2004 lights and buttons.

Figure 2 IP Phone 2004 buttons






Table 1 shows a description of the lights and buttons.

Table 1 IP Phone 2004 buttons and descriptions






IP Phone 2004 display

There are three areas to the IP Phone 2004 display:

- Button label area
- Information area
- Feature options area

Figure 3 shows an example of the display and describes each area.

Figure 3 Display area



Button label area

The button label area shows the label and status of the six programmable memory buttons. For more information about these buttons, refer to "Program memory buttons" on page 12.

Note: Dial pad buttons N, G, H, O and Q can also be programmed as memory buttons.

Information area

The Information area shows:

- the extension number of the telephone (DN: 340)
- a line for general information (Nortel Networks)
- the date and time when the telephone is not in use, and changes to show features and call information when the telephone is in use

Feature options area

When a feature is activated, or when you are on an active call, the display command line shows you the action you must take to proceed.

For example: Pswd. This means you must enter your mailbox password.

The Feature options area shows the label for the FEATURE button and for the three display buttons. These button labels appear in capital letters directly above the Feature and display buttons, and to the right of the FEATURE label on the display. These button labels vary depending on the feature in use.

About your programmable buttons

Your System Administrator assigns the six programmable buttons as line, intercom or memory buttons. The label for each button appears on the display next to the button. For more information, see your System Administrator.

Telephone setup

This section describes the IP Phone 2004 display features:

- Display contrast
- Language choice
- Ring type

Note: For more information about the features available to your telephone and how to use them, refer to the Telephone Feature Card.

Display contrast level

Adjust the contrast for the telephone display.

- **1** Press Feature *7.
- **2** Press <u>DOWN</u> and <u>UP</u> to view the levels.
- **3** Press OK to select a level.

Language choice

Select the Primary Language for the telephone display.

- 1 Press Feature *501. Select the Alternate Language for the telephone display.
- 1 Press Feature *502. Select the Alternate Language 2 for the telephone display.
- 1 Press Feature *503. Select the Alternate Language 3 for the telephone display.
- 1 Press Feature *504. Select the Alternate Language 4 for the telephone display.

Ring type

Select a different ring type for your telephone.

- 1 Press Feature *6.
- **2** Press 1, 2, 3, 4, or <u>NEXT</u> or to hear the different ring types.
- **3** Press <u>OK</u> to store the ring type.

Features and buttons

This section describes some of the IP Phone 2004 buttons and call features:

- Basic call features
- Navigation buttons
- Memory buttons

Note: For more information about the features available to your telephone and how to use them, refer to the *Telephone Feature Card*.

Basic call features

You can make external and internal calls using the following features:

- · make a call
- answer a call
- hold a call
- Handsfree
- headset
- Mute
- Time Offset

Make a call

There are many ways to make a call depending on your telephone programming and the type of call.

External calls using line buttons

- 1 Lift the handset.
- **2** Press a line button.
- **3** Dial the external telephone number.

External calls using intercom buttons

- 1 Lift the handset.
- **2** Press an intercom button and enter a line pool access code.
- **3** When you hear an external dial tone, dial the external telephone number.

Note: Contact your System Administrator for a list of line pool codes. When entering a line pool access code on PRI lines you will not hear dial tone.

Internal calls using intercom buttons

- **1** Lift the handset.
- **2** Press an intercom button.
- **3** Dial the extension number.

Note: Contact your System Administrator for a list of extension numbers.

Answer calls

When your telephone rings and the light flashes or an intercom or line button "indicator flashes:

• lift the handset.

OR

• press the line or intercom button with the flashing (indictor before you lift the handset.

Hold

- Calls are put on hold automatically when you switch from one line to another.
- While on a call, press ____. The (indicator for the line on hold flashes.
- To retrieve a held call, press the line button with the flashing (indicator.

Handsfree

Your System Administrator must program the Handsfree feature to your telephone.

- Press (1) to make or answer a call.
- To switch to Handsfree when you are on a handset call, press (41) and replace the handset. Lift the handset to switch back.
- To switch to Handsfree when you are on a headset call, press . Press _____ to switch back.

Headset

You must have a headset installed on your telephone to use this feature.

- Press ① to activate the headset mode. When the ① light is on, press a line or intercom button to make a call.
- To switch to your headset when you are on a handset call, press and replace the handset. Lift the handset to switch back.
- To switch to your headset when you are on a Handsfree call, press ①. Press ② to switch back.

Mute

- While on a call, press (to turn the microphone off. The (button lights when the microphone is off.
- Press again to turn the microphone on.
- Use (on handset, Handsfree or headset calls.

Time offset

When your IP Phone 2004 is located in a different time zone from your system, the display shows the system time not the local time. The Time Offset feature allows you to adjust the time that appears on the display.

Before you begin, calculate the time difference, in hours, between the server time and local time. To change the time that appears on your telephone display to local time:

- 1 Press Feature *510.
- 2 Press CHANGE.
- **3** Press * to switch between adding or subtracting time.
- 4 Using the dialpad, enter the number of hours between local time and system time.

Note: Press # to enter half hour increments.

5 Press OK.

Note: It may take up to one minute for the change to appear on the display.

Navigation buttons

Use the Navigation buttons to scroll through or make changes to your call log.

1 Press Feature 812.

Call log

Call Log displays use the following special characters:

1(underline) identifies a new item identifies answered calls sidentifies long distance calls ridentifies that the information has been shortened To view your Call Log:

- 1 Press D to view old items.
 - Press \(\sigma\) to view new items.
 - Press \bigcirc to return to the last viewed item.
- **2** Press \bigcirc and \bigcirc to move through your items.
- **3** Press \triangleleft and \triangleright to view more information on an item.

To erase a Call Log entry:

1 Press while viewing an item.

To return a call from your Call Log:

- **1** Display the desired number on your telephone.
- **2** Edit the number, if required. You can add numbers for long distance dialing or line pool access or remove numbers using \triangleleft and \triangleright .
- **3** Press a line button.
- 4 Lift the handset.

Memory buttons

This section contains information about the IP Phone 2004 memory buttons and how to use them. These are buttons not assigned as line or intercom buttons. Memory buttons store internal and external numbers or features to give you one touch dialing or feature activation. Refer to "IP Phone 2004 button and light descriptions" on page 4.

Program memory buttons

You can program a memory button with a new number or feature.

External autodial

- 1 Press Feature *1.
- **2** Press a memory button.
- **3** Dial the external number.
- 4 Press <u>OK</u> to store the number.

Internal autodial

- 1 Press Feature *2.
- **2** Press a memory button.
- **3** Dial the extension number.
- **4** Press **O**K to store the number.

Features

- 1 Press Feature *3.
- **2** Press a memory button.
- **3** Press <u>Feature</u> and enter the feature code.
- 4 Press \underline{OK} to store the feature code.

Erase memory buttons

- 1 Press Feature *1.
- **2** Press a memory button.
- **3** Press <u>OK</u> to erase the button.

14